





BULB VINTAGE LED E14, 6W
glass

10592



BULB VINTAGE LED E27, 6W
glass

10596




BULB VINTAGE LED E27, 6W
glass

10594




BULB LED E14, C35, 6W
glass

10589




BULB LED E27, A60, 7W
glass

10587




BULB VINTAGE LED E27, 6W
glass

10593




BULB VINTAGE LED E27, 6W
glass

10595



BULB LED E27, A60, 10W
glass

10588



5 PC SET

BULB LED E27, A60 2W, 5 PC SET
glass

7487

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10592	6W LED	2200K	470 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10596	6W LED	2200K	580 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10594	6W LED	2200K	560 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10593	6W LED	2200K	550 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10595	6W LED	2200K	450 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h

Item No.	Power	Colour temp.	Luminous flux	Beam angle	Colour Rendering Index (CRI)	Input	Power factor	Lifetime
10589	6W LED	3000K	650 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10587	7W LED	3000K	800 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
10588	10W LED	3000K	1100 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h
7487	2W LED	2200K	160 lm	360°	≥ 80	~220-230 V, 50/60 Hz	>0.5	15000h